Revision: 26.03.2013

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: RENISO ACC 68

5L MET

· Relevant identified uses of the substance or mixture and uses advised against

No uses advised against identified.

- · Application of the substance / the preparation: Lubricant
- · Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

FUCHS EUROPE SCHMIERSTOFFE GMBH EXPORT DIVISION

Friesenheimer Str. 19

D-68169 Mannheim

Tel: ++49 (0)621/3701-0 (Switch Board)

Fax: ++49 (0)621/3701-570

· Informing department:

Product safety department

Tel: +49 (0)621 3701-1333 or -1313

Fax: 0621/3701-7303

E-Mail: Produktsicherheit@fuchs-europe.de

· Emergency telephone number:

Tel: +49 (0)621 3701-1333 or +49 (0)621 3701-0 (Switch Board)

### 2 Hazards identification

- · #Classification# of the substance or mixture
- Classification according to #Directive 67/548/EEC or Directive 1999/45/EC#

By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept.
R52/53

- · Information concerning particular hazards for human and environment: This product is water polluting; see item 12.

  The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- · #Label# elements
- · Labelling according to EU guidelines:

Observe the normal safety regulations when handling chemicals or mineral oil products.

The product is subject to identification regulations under EC Directives until 2008/1272/EC (1. CLP-ATP) and the Ordinance on Hazardous Materials.

· Risk phrases:

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Safety phrases:

Avoid release to the environment. Refer to special instructions/safety data sheets.

(Contd. on page 2)

Revision: 26.03.2013

\_\_\_\_\_\_

Trade name: RENISO ACC 68

5L MET

(Contd. of page 1)

- · Other hazards
- · Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

- 3 Composition/information on ingredients
- · Chemical characterization: Mixtures
- · Description: Mixture of synthetic base oils with additives.

Dangerous components / Hazard communications / Concentration range % aromatic phosphoric acid ester derivative N R50/53

Aquatic Acute 1, H400; Aquatic Chronic 1, H410 confidential

· Additional information

For the wording of the listed risk phrases refer to section 16.

- 4 First aid measures
- · Description of first aid measures
- · General information

Change clothes and shoes contaminated or soaked by the product. Never put rags contaminated by the product into cloth-pockets.

- · After inhalation Seek medical treatment in case of complaints.
- · After skin contact The product is not skin irritating.
- · After eye contact

Rinse opened eye for several minutes under running water.

- · After swallowing Seek medical treatment.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed · No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
  - · No further relevant information available.
- 5 Firefighting measures
- · Extinguishing media
- · Suitable extinguishing agents CO2, extinguishing powder or water spray. Fight larger fires with alcohol resistant foam or surfactant containing water jet. Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · Special hazards arising from the substance or mixture · No further relevant information available.
- · Advice for firefighters

(Contd. on page 3) -----GB-+

Revision: 26.03.2013

Trade name: RENISO ACC 68 5L MET (Contd. of page 2)

· Protective equipment:

In case of fire fighting: wear self containing breathing apparatus

· Additional information

Generally this product is not burnable on account of its water-content.

#### \_\_\_\_\_\_ 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/ spilled product.

· Environmental precautions:

Inform respective authorities in case product reaches water or sewage

Do not allow to enter drainage system, surface or ground water. Prevent from spreading (e.g. by binding or oil barriers).

Do not allow to enter the ground/ soil.

· Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

### 7 Handling and storage

· Handling

· Precautions for safe handling Prevent formation of aerosols.

Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.

Information about protection against explosions and fires:

No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and containers: Use only containers specifically permitted for this substance/product.

· Information about storage in one common storage facility: Store away from foodstuffs.

· Further information about storage conditions:

Local regulations concerning handling and storage of water polluting products have to be followed.

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

(Contd. on page 5)

### Safety data sheet according to 1907/2006/EC, Article 31

Revision: 26.03.2013

Trade name: RENISO ACC 68 5L MET (Contd. of page 3) · Control parameters · Components with critical values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with TLVs / WELs that have to be monitored at the workplace. · Additional information: The lists that were valid during the compilation were used as basis. · Exposure controls · Personal protective equipment · General protective and hygienic measures The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products. Wash hands during breaks and at the end of the work. Avoid close or long term contact with the skin. Use skin protection cream for preventive skin protection. · Breathing equipment: Avoid breathing vapour/ aerosol. · Protection of hands: Protective gloves (EN374) and protective skin cream. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. · For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR Neoprene gloves · Not suitable are gloves made of the following materials: Butyl rubber, BR Natural rubber, NR · Eye protection: Safety glasses (EN 166) recommended during refilling. · Body protection: Protective work clothing. .----9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: · Form: Fluid · Colour: Clear · Smell: Characteristic · Odour threshold: Not determined. Value/Range Unit Method

· Change in condition

Revision: 26.03.2013

Trade name: RENISO ACC 68 5L MET (Contd. of page 4) Melting point/Melting range:
 Boiling point/Boiling range:
 Not determined not applicable or not determined 243 ° C EN ISO 2592 · Flash point: · Inflammability (solid, gaseous) Not applicable. · Ignition temperature: · Decomposition temperature: Not determined · Self-inflammability: Product is not selfigniting. · Danger of explosion: Product is not explosive. · Vapour pressure: Not determined. · Density · Relative density at 15 ° C 0.992 g/cm<sup>3</sup> DIN 51 757 Not determined. · Vapour density Not determined. Not determined. · Evaporation rate · Solubility in / Miscibility with Fully miscible · Water: · Partition coefficient (n-octanol/water): Not determined. · Viscosity or Consistency-Class: dynamic: Not determined.
kinematic: at 40 ° C 68 mm²/s DIN 51 562 · Other information No further relevant information available. 10 Stability and reactivity · Reactivity · Chemical stability · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. · Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available.
Incompatible materials: No further relevant information available. · Hazardous decomposition products: No dangerous decomposition products known 11 Toxicological information · Information on toxicological effects · Acute toxicity: · Primary irritant effect: · on the skin: No irritant effect known. (Contd. on page 6) +-----GB-+

Revision: 26.03.2013 Trade name: RENISO ACC 68 5L MET (Contd. of page 5) · on the eye: No irritant effect known. · Sensitization: No sensitizing effect known. 12 Ecological information · Toxicity Aquatic toxicity: No further relevant information available. · Persistence and degradability · No further relevant information available. · Behaviour in environmental systems: · Bioaccumulative potential No data available · Mobility in soil No further relevant information available. · Ecotoxical effects: · Remark: Harmful to fish · Behaviour in sewage processing plants: The product swims on the water surface. · Additional ecological information: · General notes: German Water Endangering Class 1 (Self-assessment): slightly hazardous for water. Do not allow to reach ground water, water bodies or sewage system. Harmful to aquatic organisms · Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. · Other adverse effects No further relevant information available. \_\_\_\_\_ 13 Disposal considerations · Waste treatment methods · Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system. When storing used products, ensure that the waste categories and mixing instructions are observed. Delivery of waste products only to offically authorized collectors. · European waste catalogue 13 02 08\*: other engine, gear and lubricating oils · Uncleaned packagings: · Recommendation: Empty contaminated packagings thoroughly. They can be recycled after

thorough and proper cleaning. Small one-way packagings have to be

· Recommended cleaning agent: Water, if necessary with cleaning agent.

disposed according to the local regulations.

EWC 15 01 02 e.g. 15 01 04.

Revision: 26.03.2013

Trade name: RENISO ACC 68 5L MET 14 Transport information · UN-Number · ADR · ADN · IMDG · IATA · UN proper shipping name · ADR -· ADN · IMDG · IATA · Transport hazard class(es) · Class · ADN/R Class: · IMDG · Class · IATA · Class · Packing group · ADR · IMDG · IATA · Environmental hazards: No · Marine pollutant: · Special precautions for user Not applicable. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code · Not applicable. 15 Regulatory information · Safety, health and environmental regulations/legislation specific for the substance or mixture · National regulations · German Water Hazard Class: Water Endangering Class 1 (Self-assessment): slightly hazardous for water. · Other regulations, limitations and prohibitive regulations Substances of very high concern (SVHC) according to REACH, Article 31 out of the recent list: none 16 Other information All ingredients are listed in the European Inventories. These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not (Contd. on page 8)

Revision: 26.03.2013

Trade name: RENISO ACC 68

5L MET

(Contd. of page 7) establish a legally valid contractual relationship. This data sheet is a safety data sheet according to 1907/2006/EC, article 31. For products which are not subject to classification according to EU lists this data sheet is made on a voluntary base.

· Relevant phrases

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- Department issuing data specification sheet: FUCHS EUROPE SCHMIERSTOFFE GMBH Export Division Product Safety Departement
- · Contact:

Product Safety Departement:

Tel: +49(0)621 3701-1333 Frau Ehrenfeld

· Validity:

With this latest edition of this MSDS all former editions are not valid any longer.

Changed items are marked with "\*".

+------GB-+